

Turn of Spring

Table Runner 11.5 in. x 31.5 in.



Material Requirements/ Cutting Directions

	Runner
	11.5 in. x 31.5 in.
Prints	(12) 5 in. squares
Background	1/4 yard
Backing	1/2 yard
Binding	1/4 yard
Batting	15.5 in. x 35.5 in.

From the Solids/Prints:

- » Cut x12 5 in. squares
- ♥ Subcut x24 2.5 in. x 5 in. rectangles

From the Binding:


- » Cut x5 2.5 in. x WOF strip

From the Background:

- » Cut x3 1 in. x WOF strip
- ♥ Subcut x22 1 in. x 5 in. rectangles
- » Cut x1 1 in x 31 in. recatangle, set aside for sashing
- » Cut x2 1.5 in. x WOF strips
- ♥ Subcut x2 1 in. x 31 in. rectangles, set aside for borders
- » Cut x1 1.5 in. x WOF strips
- ♥ Subcut x2 1 in. x 12 in. rectangles, set aside for borders

Assembly

Sew a 1 in. x 5 in. background rectangle in between (2) 2.5 in x 5 in. print rectangles, as shown below. Make (12) blocks.



Once your (12) blocks are assembled, sew a 1 in. x 5 in. sashing rectangle between each block. Rotate each block 90 degrees, as shown below. Sew (6) blocks in each row, with a 1 in. x 31 in. sashing strip between the two rows. Add the 1.5 in. x 31 in. borders to the top and bottom. Complete your runner by stitching the 1.5 in. x 12 in. borders to each end. See diagram below.

